

HEART DENTAL ART, INC.

Doctor's name

Patient's name

Due Date

Male

Female

* Please allow sufficient time for shipping.

Lic.#

Date

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

GENERAL (Monolithic) Teeth#s

Zirconia FC with stain

Lithium Disilicate(Emax)

QUALITY (Layering) Teeth#s

MASTER Teeth#s

IMPLANT Company Type size

Cement Retained

Custom Abutment

Ti Zi

Screw Retained

Screwmentable

MATERIAL

Emax Teeth#s

Zirconia Teeth#s

Diagnostic Wax Up

*Please email us additional information.

Other

Lab Use Only ☐ Photo ☐ Old Lab Slip ☐ Memo

Articulator #

Components

Note:

SF W

III SP Y

No.

DESIGN

Occlusal Surface

Porcelain Zirconia

*If there is not enough space,
Adjust Opposing Teeth

Make Reduction Coping
(mm)

Margin

DMM/Zero Margin

Porcelain Margin

180° 360°

PONTIC

Modified Ridgrap

Ovate

Other

SHADE

Vita

Ivoclar

Other

Photo

Custom Shade

Final Shade

Die Shade

Instructions / Note :

Translucent

High
Medium
Low

Staining

Light
None
Natural

ENCLOSURES

Impression

Opposing

Bite

Replica

Abutment

Screw

Articulator

Study Models

*A study model is required for all anterior cases.

Other

Length of tooth #8 (mm)

HEART DENTALART, INC.

14258 Beach Blvd., Westminster, CA 92683
www.heartdentalart.com infoheartdentalart@gmail.com